

Publications

*Corresponding author

121

Factors affecting patient satisfaction related to cost and treatment effectiveness in rheumatoid arthritis: results from the multicenter observational cohort study, FRANK Registry.

Fujiwara T, Kondo M, Yamada H, Haraguchi A, Fujimura K, Sakuraba K, Kamura S, Fukushi JI, Miyahara H, Inoue Y, Tsuru T, Shuto T, Yoshizawa S, Suematsu E, Miyamura T, Ayano M, Mitoma H, Arinobu Y, Niino H, Ohishi M, Hirata A, Tokunaga S, Takada A, Hara D, Tsushima H, Akasaki Y, Ikemura S, Sueishi T, Toya M, Sakuragi T, Tsutsui T, Kai K, Arisumi S, Nakashima Y.

Arthritis Res Ther. 2022 Feb 22;24(1):53. doi: 10.1186/s13075-022-02746-5.

PMID: 35193646

120

Adaptive immunity in the joint of rheumatoid arthritis.

Yamada H.

Immunol Med. 2021 May 30;1-11. doi: 10.1080/25785826.2021.1930371. Online ahead of print.

PMID: 34053404

119

G protein-coupled receptor kinase 5 deletion suppresses synovial inflammation in a murine model of collagen antibody-induced arthritis.

Toya M, Akasaki Y, Sueishi T, Kurakazu I, Kuwahara M, Uchida T, Tsutsui T, Tsushima H, Yamada H, Lotz MK, Nakashima Y.

Sci Rep. 2021 May 18;11(1):10481. doi: 10.1038/s41598-021-90020-0.

PMID: 34006987

118

Autoreactivity of Peripheral Helper T Cells in the Joints of Rheumatoid Arthritis.

Sakuragi T, *Yamada H, Haraguchi A, Kai K, Fukushi JI, Ikemura S, Akasaki Y, Fujiwara T, Tsushima H, Tsutsui T, Kondo M, Yoshikai Y, Okada S, Nakashima Y

.J Immunol. 2021 May 1;206(9):2045-2051. doi: 10.4049/jimmunol.2000783. Epub 2021 Apr 12.

PMID: 33846228

117

Human PD-1^{hi}CD8⁺ T Cells Are a Cellular Source of IL-21 in Rheumatoid Arthritis.

Higashioka K, Yoshimura M, Sakuragi T, Ayano M, Kimoto Y, Mitoma H, Ono N, Arinobu Y, Kikukawa M, Yamada H, Horiuchi T, Akashi K, Niiro H.

Front Immunol. 2021 Mar 19;12:654623. doi: 10.3389/fimmu.2021.654623. eCollection 2021.

PMID: 33815416

116

Type 1 helper T cells generate CXCL9/10-producing T-bet⁺ effector B cells potentially involved in the pathogenesis of rheumatoid arthritis.

Nakayama T, Yoshimura M, Higashioka K, Miyawaki K, Ota Y, Ayano M, Kimoto Y, Mitoma H, Ono N, Arinobu Y, Kikukawa M, Yamada H, Akashi K, Horiuchi T, Niiro H.

Cell Immunol. 2020 Feb;360:104263. doi: 10.1016/j.cellimm.2020.104263. Epub 2020 Dec 30.

PMID: 33387686

115

Activation of TLR4 signaling inhibits progression of osteosarcoma by stimulating CD8-positive cytotoxic lymphocytes.

Yahiro K, Matsumoto Y, Yamada H, Endo M, Setsu N, Fujiwara T, Nakagawa M, Kimura A, Shimada E, Okada S, Oda Y, Nakashima Y.

Cancer Immunol Immunother. 2020 May;69(5):745-758. doi: 10.1007/s00262-020-02508-9. [Epub 2020 Feb 11.]

PMID: 32047957

114

Abatacept reduces disease activity of rheumatoid arthritis independently of modulating anti-citrullinated peptide antibody production.

*Yamada H, Tsuru T, Otsuka T, Maekawa M, Harada H, Fukuda T, Tsukamoto H, Maeyama A, Yoshizawa S, Wada K, Nakashima Y, Shono E, Yoshizawa S, Jojima H, Kondo M.

Immunol Med. 2020 Jun;43(2):87-91. doi: 10.1080/25785826.2020.1718833. [Epub 2020 Jan 29]

PMID: 31994996

113

IL-7R-Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis.

Cui G, Shimba A, Ma G, Takahara K, Tani-Ichi S, Zhu Y, Asahi T, Abe A, Miyachi H, Kitano S, Hara T, Yasunaga JI, Suwanai H, Yamada H, Matsuoka M, Ueki K, Yoshikai Y, Ikuta K.

J Immunol. 2020 Feb 15;204(4):844-857. pii: ji1900456. doi: 10.4049/jimmunol.1900456. [Epub 2020 Jan 10] .

PMID: 31924648

112

CCR6+ group 3 innate lymphoid cells accumulate in inflamed joints in rheumatoid arthritis and produce Th17 cytokines.

Takaki-Kuwahara A, Arinobu Y, Miyawaki K, Yamada H, Tsuzuki H, Irino K, Ayano M, Kimoto Y, Mitoma H, Akahoshi M, Tsukamoto H, Horiuchi T, Niuro H, Akashi K.

Arthritis Res Ther. 2019 Aug 30;21(1):198. doi: 10.1186/s13075-019-1984-x.

PMID:31470891

111

Development of a new monoclonal antibody specific to mouse V γ 6 chain.

Hatano S, Tun X, Noguchi N, Yue D, Yamada H, Sun X, Matsumoto M, Yoshikai Y.

Life Sci Alliance. 2019 May 7;2(3). pii: e201900363. doi: 10.26508/lsa.201900363. Print 2019 Jun.

PMID:31064767

110

Cutting Edge: B Cells Expressing Cyclic Citrullinated Peptide-Specific Antigen Receptor Are Tolerized in Normal Conditions.

*Yamada H, Ozawa T, Kishi H, Okada S, Nakashima Y, Muraguchi A, Yoshikai Y.

J Immunol. 2018 Dec 15;201(12):3492-3496. doi: 10.4049/jimmunol.1800826. [Epub 2020 Nov 12]

PMID: 30420436

109

Drug survival rates of biological disease-modifying antirheumatic drugs and Janus kinase-inhibitor therapy in 801 rheumatoid arthritis patients: a 14 year-retrospective study from a rheumatology clinic in Japan.

Kondo M, Yamada H.

Mod Rheumatol. 2019 Nov;29(60):928-935. doi: 10.1080/14397595.2018.1537556. [Epub 2019 Jan 7]

PMID: 30334661

108

Interleukin-21 Induces Short-Lived Effector CD8⁺ T Cells but Does Not Inhibit Their Exhaustion after Mycobacterium bovis BCG Infection in Mice.

Noguchi N, Nakamura R, Hatano S, Yamada H, Sun X, Ohara N, Yoshikai Y.

Infect Immun. 2018 Jul 23;86(8): e00147-18. doi: 10.1128/IAI.00147-18. [Epub 2018 Aug]

PMID: 29844233

107

Crucial role of P2X₇ receptor for effector T cell activation in experimental autoimmune uveitis.

Takeda A, Yamada H, Hasegawa E, Arima M, Notomi S, Myojin S, Yoshimura T, Hisatomi T, Enaida H, Yanai R, Kimura K, Ishibashi T, Sonoda KH.

Jpn J Ophthalmol. 2018 May;62(3):398-406. doi: 10.1007/s10384-018-0587-4. [Epub 2018 Mar 23]

PMID: 29572578

106

Serum IgG ACPA-IgM RF immune complexes were detected in rheumatoid arthritis patients positive for IgM ACPA.

Haraguchi A, *Yamada H, Kondo M, Okazaki K, Fukushi JI, Oyamada A, Yoshikai Y, Nakashima Y.

Clin Exp Rheumatol. 2018 Jul-Aug; 36(4):612-618. [Epub 2018 Feb 14]

PMID: 29465353

105

Glucocorticoids Drive Diurnal Oscillations in T Cell Distribution and Responses by Inducing Interleukin-7 Receptor and CXCR4.

Shimba A, Cui G, Tani-Ichi S, Ogawa M, Abe S, Okazaki F, Kitano S, Miyachi H, Yamada H, Hara T, Yoshikai Y, Nagasawa T, Schütz G, Ikuta K.

Immunity. 2018 Feb 20;48(2):286-298.e6. doi: 10.1016/j.immuni.2018.01.004. [Epub 2015 Jan 27]

PMID: 29396162

104

T cells specific for post-translational modifications escape intrathymic tolerance induction.

Raposo B, Merky P, Lundqvist C, Yamada H, Urbonaviciute V, Niaudet C, Viljanen J, Kihlberg J, Kyewski B, Ekwall O, Holmdahl R, Bäcklund J.

Nat Commun. 2018 Jan 24;9(1):353. doi: 10.1038/s41467-017-02763-y.

PMID: 29367624

103

CD5.NK1.1+ $\gamma\delta$ T Cells that Develop in a Bcl11b-Independent Manner Participate in Early Protection against Infection.

Hatano S, Murakami T, Noguchi N, Yamada H, Yoshikai Y.

Cell Rep. 2017 Oct 31;21(5):1191-1202. doi: 10.1016/j.celrep.2017.10.007.

PMID: 29091759

102

Th1 is the predominant helper T cell subset that produces GM-CSF in the joint of rheumatoid arthritis.

*Yamada H, Haraguchi A, Sakuraba K, Okazaki K, Fukushi JI, Mizu-Uchi H, Akasaki Y, Esaki Y, Kamura S, Fujimura K, Kondo M, Miyahara H, Nakashima Y, Yoshikai Y.

RMD Open. 2017 Jul 13;3(1):e000487. doi: 10.1136/rmdopen-2017-000487. eCollection 2017.

PMID: 28955490

101

Minimum 10-year results of cementless total hip arthroplasty in patients with rheumatoid arthritis.

Haraguchi A, Nakashima Y, Miyahara H, Esaki Y, Okazaki K, Fukushi JI, Hirata G, Ikemura S, Kamura S, Sakuraba K, Fujimura K, Akasaki Y, Yamada H.

Mod Rheumatol. 2017 Jul;27(4):598-604. doi:10.1080/14397595.2016.1256024

(2016 Nov 16:1-26[Epub ahead of print])

PMID: 27846746

100

Two types of IL-17A-producing $\gamma\delta$ T cells in protection against pulmonary infection with *Klebsiella pneumoniae*.

Murakami T, Hatano S, Yamada H, Iwakura Y, Yoshikai Y.

J Infect Dis. 2016 Dec 1;214(11):1752-1761 doi: 10.1093/infdis/jiw443. [Epub 2016 Sep 20]

PMID: 27651419

99

Interleukin-21 signaling in B cells, but not in T cells, is indispensable for the development of collagen-induced arthritis in mice.

Sakuraba K, Oyamada A, Fujimura K, Spolski R, Iwamoto Y, Leonard WJ, Yoshikai Y, *Yamada H.

Arthritis Res Ther. 2016 Aug 17;18:188. doi: 10.1186/s13075-016-1086-y.

PMID: 27535236

98

Antitumor activity of recombinant Bacille Calmette-Guérin secreting interleukin-15-Ag85B fusion protein against bladder cancer.

Takeuchi A, Eto M, Tatsugami K, Shiota M, Yamada H, Kamiryo Y, Dejima T, Kashiwagi E, Kiyoshima K, Inokuchi J, Takahashi R, Yokomizo A, Ohara N, Yoshikai Y.

Int Immunopharmacol. 2016 Jun;35:327-331. doi: 10.1016/j.intimp.2016.03.007. [Epub 2016 Apr 16]

PMID: 27093372

97

Generation mechanism of RANKL(+) effector memory B cells: relevance to the pathogenesis of rheumatoid arthritis.

Ota Y, Nihiro H, Ota S, Ueki N, Tsuzuki H, Nakayama T, Mishima K, Higashioka K, Jabbarzadeh-Tabrizi S, Mitoma H, Akahoshi M, Arinobu Y, Kukita A, Yamada H, Tsukamoto H, Akashi K.

Arthritis Res Ther. 2016 Mar 16;18(1):67. doi: 10.1186/s13075-016-0957-6.

PMID: 26980135

96

Requirement of CD30 expression on CD4 T cells in the pathogenesis of experimental autoimmune encephalomyelitis.

Shinoda K, Sun X, Oyamada A, Yamada H, Kira J, Yoshikai Y.

J Neuroimmunol. 2016 Feb 15;291:39-45. doi: 10.1016/j.jneuroim.2015.12.005. Epub 2015 Dec 11.

PMID: 26857493

95

Outcome of Joint-Preserving Arthroplasty for Rheumatoid Forefoot Deformities.

Fukushi JI, Nakashima Y, Okazaki K, Yamada H, Mawatari T, Ohishi M, Oyamada A, Akasaki Y, Iwamoto Y.

Foot Ankle Int. 2016 Mar;37(3):262-8. doi: 10.1177/1071100715609981. Epub 2015 Oct 8

PMID: 26449390

94

An Enhancer of the IL-7 Receptor α -Chain Locus Controls IL-7 Receptor Expression and Maintenance of Peripheral T Cells.

Abe A, Tani-Ichi S, Shitara S, Cui G, Yamada H, Miyachi H, Kitano S, Hara T, Abe R, Yoshikai Y, Ikuta K.

J Immunol. 2015 Oct 1;195(7):3129-38. doi: 10.4049/jimmunol.1302447. Epub 2015 Sep 2.

PMID: 26336149

93

Delayed diagnosis of ankylosing spondylitis in a Japanese population.

Nakashima Y, Ohishi M, Okazaki K, Fukushi JI, Oyamada A, Hara D, Doi T, Akasaki Y, Yamada H, Iwamoto Y.

Mod Rheumatol. 2016;26(3):421-5. doi: 10.3109/14397595.2015.1088679. Epub 2015 Oct 19

PMID: 26382224

92

Prevalence of dyslipidemia in Japanese patients with rheumatoid arthritis and effects of atorvastatin treatment.

Akiyama M, Mawatari T, Nakashima Y, Miyahara H, Yamada H, Okazaki K, Fukushi JI, Kondo M, Kishimoto J, Hashimura C, Iwamoto Y.

Clin Rheumatol. 2015 Nov;34(11):1867-75. doi: 10.1007/s10067-015-3049-0. Epub 2015 Aug 21
PMID: 26292631

91

Reduced Tyk2 gene expression in β -cells due to natural mutation determines susceptibility to virus-induced diabetes.

Izumi K, Mine K, Inoue Y, Teshima M, Ogawa S, Kai Y, Kurafuji T, Hirakawa K, Miyakawa D, Ikeda H, Inada A, Hara M, Yamada H, Akashi K, Niho Y, Ina K, Kobayashi T, Yoshikai Y, Anzai K, Yamashita T, Minagawa H, Fujimoto S, Kurisaki H, Shimoda K, Katsuta H, Nagafuchi S.

Nat Commun. 2015 Apr 7;6:6748. doi: 10.1038/ncomms7748.
PMID: 25849081

90

Successful in vitro culture of synovial explants from rheumatoid arthritis at the air-liquid interface.

Sakuraba K, Fujimura K, Nakashima Y, Okazaki K, Fukushi JI, Ohishi M, Oyamada A, Esaki Y, Miyahara H, Iwamoto Y, Yoshikai Y, *Yamada H.

Arthritis Rheumatol. 2015 Apr;67(4):887-92. doi: 10.1002/art.39019. Epub 2015 Jan 7
PMID: 25581018

89

CD30 ligand is a new therapeutic target for central nervous system autoimmunity.

Shinoda K, Sun X, Oyamada A, Yamada H, Muta H, Podack ER, Kira J, Yoshikai Y.

J Autoimmun. 2015 Feb;57:14-23. doi: 10.1016/j.jaut.2014.11.005. Epub 2014 Dec 19
PMID: 25533628

88

Renal cancer treatment with recipient lymphocyte infusion enhanced the antitumor effect of nonmyeloablative allogeneic stem cell transplantation.

Takeuchi A, Eto M, Tatsugami K, Yamada H, Yokomizo A, Shiota M, Itsumi M, Inokuchi J, Kiyoshima K, Dejima T, Imada K, Naito S, Yoshikai Y.

Transpl Immunol. 2015 Mar;32(2):131-9. doi: 10.1016/j.trim.2014.12.001. Epub 2014 Dec 16

PMID: 25527449

87

A Genome-Wide Analysis Identifies a Notch-RBP-J κ -IL-7R α Axis That Controls IL-17-Producing $\gamma\delta$ T Cell Homeostasis in Mice.

Nakamura M, Shibata K, Hatano S, Sato T, Ohkawa Y, Yamada H, Ikuta K, Yoshikai Y.

J Immunol. 2015 Jan 1;194(1):243-51 doi: 10.4049/jimmunol.1401619. Epub 2014 Nov 26

PMID: 25429074

86

EBI3 is pivotal for the initiation of experimental autoimmune uveitis.

Takeda A, Hasegawa E, Fukuhara T, Hirakawa S, Yamada H, Yang Y, Yoshimura T, Hisatomi T, Oshima Y, Yoshida H, Sonoda KH, Ishibashi T.

Exp Eye Res. 2014 Aug;125:107-13. doi: 10.1016/j.exer.2014.06.004. Epub 2014 Jun 11

PMID: 24929202

85

Tyk2-Dependent Bystander Activation of Conventional and Nonconventional Th1 Cell Subsets Contributes to Innate Host Defense against *Listeria monocytogenes* Infection.

Hashiguchi T, Oyamada A, Sakuraba K, Shimoda K, Nakayama KI, Iwamoto Y, Yoshikai Y, *Yamada H.

J Immunol. 2014 May 15;192(10):4739-47. doi: 10.4049/jimmunol.1303067. Epub 2014 Apr 11.

PMID: 24729620

84

Effects of adalimumab administration in bio-naïve and bio-switch rheumatoid arthritis patients in daily clinical practice : two-year results from single center.

Tashiro Y, Nakashima Y, Okazaki K, Mawatari T, Fukushi J, Ohishi M, Oyamada A, Yamada H, Iwamoto Y.

Fukuoka Igaku Zasshi. 2013 Nov;104(11):413-23.

PMID: 24620636

83

IFN- γ -Producing and IL-17-Producing $\alpha\alpha$ T Cells Differentiate at Distinct Developmental Stages in Murine Fetal Thymus.

Shibata K, Yamada H, Nakamura M, Hatano S, Katsuragi Y, Kominami R, Yoshikai Y.

J Immunol. 2014 Mar 1;192(5):2210-8. doi: 10.4049/jimmunol.1302145. Epub 2014 Jan 31

PMID: 24489104

82

Type I Interferon Plays Opposing Roles in Cytotoxicity and Interferon- γ Production by Natural Killer and CD8 T Cells after Influenza A Virus Infection in Mice.

Arimori Y, Nakamura R, Yamada H, Shibata K, Maeda N, Kase T, Yoshikai Y.

J Innate Immun. 2014;6(4):456-66. doi: 10.1159/000356824. Epub 2014 Jan 10

PMID: 24435166

81

Identification of independent susceptible and protective HLA alleles in Japanese autoimmune thyroid disease and their epistasis.

Ueda S, Oryoji D, Yamamoto K, Noh JY, Okamura K, Noda M, Kashiwase K, Kosuga Y, Sekiya K, Inoue K, Yamada H, Oyamada A, Nishimura Y, Yoshikai Y, Ito K, Sasazuki T.

J Clin Endocrinol Metab. 2014 Feb;99(2):E379-83. doi: 10.1210/jc.2013-2841. Epub 2013 Nov 27

PMID: 24285682

80

A C-type lectin receptor pathway is responsible for the pathogenesis of acute cyclophosphamide-induced cystitis in mice.

Dejima T, Shibata K, Yamada H, Takeuchi A, Hara H, Eto M, Naito S, Yoshikai Y.

Microbiol Immunol. 2013 Dec;57(12):833-41. doi: 10.1111/1348-0421.12100. Epub 2013 Sep 16.

PMID: 24102807

79

CD30 is required for activation of a unique subset of interleukin-17A-producing $\alpha\alpha$ T cells in innate immunity against Mycobacterium bovis Bacillus Calmette-Guerin infection.

Guo Y, Sun X, Shibata K, Yamada H, Muta H, Podack ER, Yoshikai Y.

Infect Immun. 2013 Oct;81(10):3923-34.. doi: 10.1128/IAI.00887-13. Epub 2013 Aug 5.

PMID: 23918785

78

Type I interferon limits influenza virus-induced acute lung injury by regulation of excessive inflammation in mice.

Arimori Y, Nakamura R, Yamada H, Shibata K, Maeda N, Kase T, Yoshikai Y.

Antiviral Res. 2013 Sep;99(3):230-7. doi: 10.1016/j.antiviral.2013.05.007. Epub 2013 May 28

PMID: 23721943

77

CD4 T cell-intrinsic IL-2 signaling differentially affects Th1 and Th17 development.

Fujimura K, Oyamada A, Iwamoto Y, Yoshikai Y, *Yamada H.

J Leukoc Biol. 2013 Aug;94(2):271-9. doi: 10.1189/jlb.1112581. Epub 2013 May 28

PMID: 23715742

76

Positive selection of self antigen-specific CD8⁺ T cells by hematopoietic cells.

*Yamada H, Shibata K, Sakuraba K, Fujimura K, Yoshikai Y.

Eur J Immunol. 2013 Aug;43(8):2033-42. doi: 10.1002/eji.201242957. Epub 2013 May 22

PMID: 23636825

75

C-type lectin MCL is an FcR γ -coupled receptor that mediates the adjuvanticity of mycobacterial cord factor.

Miyake Y, Toyonaga K, Mori D, Kakuta S, Hoshino Y, Oyamada A, Yamada H, Ono KI, Suyama M, Iwakura Y, Yoshikai Y, Yamasaki S.

Immunity. 2013 May 23;38(5):1050-62. doi: 10.1016/j.immuni.2013.03.010. Epub 2013 Apr 18

PMID: 23602766

74

CD30L/CD30 is critical for maintenance of IL-17A-producing $\gamma\delta$ T cells bearing V δ 6 in mucosa-associated tissues in mice.

Sun X, Shibata K, Yamada H, Guo Y, Muta H, Podack ER, Yoshikai Y.

Mucosal Immunol. 2013 Nov;6(6):1191-201. doi: 10.1038/mi.2013.18. Epub 2013 Apr 3.

PMID: 23549449

73

Y-box binding protein-1 regulates cell proliferation and is associated with clinical outcomes of osteosarcoma.

Fujiwara-Okada Y, Matsumoto Y, Fukushi J, Setsu N, Matsuura S, Kamura S, Fujiwara T, Iida K, Hatano M, Nabeshima A, Yamada H, Ono M, Oda Y, Iwamoto Y.

Br J Cancer. 2013 Mar 5;108(4):836-47. doi: 10.1038/bjc.2012.579.

PMID: 23462806

72

Naturally occurring PD-1+ memory phenotype CD8 T Cells belong to nonconventional CD8 T cells and are cyclophosphamide-sensitive regulatory T cells.

Sakuraba K, Shibata K, Iwamoto Y, Yoshikai Y, *Yamada H.

J Immunol. 2013 Feb 15;190(4):1560-6. doi: 10.4049/jimmunol.1202464. Epub 2013 Jan 9.

PMID: 23303666

71

Ly6C(+) Ly6G(-) Myeloid-derived suppressor cells play a critical role in the resolution of acute inflammation and the subsequent tissue repair process after spinal cord injury.

Saiwai H, Kumamaru H, Ohkawa Y, Kubota K, Kobayakawa K, Yamada H, Yokomizo T, Iwamoto Y, Okada S.

J Neurochem. 2013 Apr;125(1):74-88. doi: 10.1111/jnc.12135. Epub 2013 Jan 15

PMID: 23278273

70

Direct isolation and RNA-seq reveal environment-dependent properties of engrafted neural stem/progenitor cells.

Kumamaru H, Ohkawa Y, Saiwai H, Yamada H, Kubota K, Kobayakawa K, Akashi K, Okano H, Iwamoto Y, Okada S.

Nat Commun. 2012 Oct 16;3:1140. doi: 10.1038/ncomms2132

PMID: 23072808

69

Evaluation of cartilage degradation in arthritis using T1 ρ magnetic resonance imaging mapping.

Tsushima H, Okazaki K, Takayama Y, Hatakenaka M, Honda H, Izawa T, Nakashima Y, Yamada H, Iwamoto Y.

Rheumatol Int. 2012 Sep;32(9):2867-75. doi: 10.1007/s00296-011-2140-3. Epub 2011 Sep 1

PMID: 21881979

68

Protective role of naturally occurring IL-17A-producing $\gamma\delta$ T cells in the lung at the early stage of systemic candidiasis in mice.

Dejima T, Shibata K, Yamada H, Hara H, Iwakura Y, Naito S, Yoshikai Y.

Infect Immun. 2011 Nov;79(11):4503-10. doi: 10.1128/IAI.05799-11. Epub 2011 Aug 29

PMID: 21875963

67

Macrophage Infiltration Predicts a Poor Prognosis for the Human Ewing Sarcoma.

Fujiwara T, Fukushi JI, Yamamoto S, Matsumoto Y, Setsu N, Oda Y, Yamada H, Okada S, Watari K, Ono M, Kuwano M, Kamura S, Iida K, Okada Y, Koga M, Iwamoto Y.

Am J Pathol. 2011 Sep;179(3):1157-70. doi: 10.1016/j.ajpath.2011.05.034. Epub 2011 Jul 21

PMID: 21771572

66

The central role of CD30L/CD30 interactions in allergic rhinitis pathogenesis in mice.

Fuchiwaki T, Sun X, Fujimura K, Yamada H, Shibata K, Muta H, Podack ER, Kawauchi H, Yoshikai Y.

Eur J Immunol. 2011 Oct;41(10):2947-54. doi: 10.1002/eji.201141423. Epub 2011 Aug 30

PMID: 21739429

65

Innate memory phenotype CD4(+) T cells play a role in early protection against infection with *Listeria monocytogenes* in a CD30L-dependent manner.

Umeda K, Sun X, Guo Y, Yamada H, Shibata K, Yoshikai Y.

Microbiol Immunol. 2011 Sep;55(9):645-56. doi: 10.1111/j.1348-0421.2011.00362.x.

PMID: 21699557

64

Notch-Hes1 pathway is required for the development of IL-17-producing $\gamma\gamma$ T cells.

Shibata K, *Yamada H, Sato T, Dejima T, Nakamura M, Ikawa T, Hara H, Yamasaki S, Kageyama R, Iwakura Y, Kawamoto H, Toh H, Yoshikai Y.

Blood. 2011 Jul 21;118(3):586-93. doi: 10.1182/blood-2011-02-334995. Epub 2011 May 23

PMID: 21606479

63

Age-related differences in cellular and molecular profiles of inflammatory responses after spinal cord injury.

Kumamaru H, Saiwai H, Ohkawa Y, Yamada H, Iwamoto Y, Okada S.

J Cell Physiol. 2012 Apr;227(4):1335-46. doi: 10.1002/jcp.22845. Epub 2011 May 20

PMID: 21604270

62

Preferential accumulation of activated Th1 cells not only in rheumatoid arthritis but also in osteoarthritis joints.

*Yamada H, Nakashima Y, Okazaki K, Mawatari T, Fukushi JI, Oyamada A, Fujimura K, Iwamoto Y, Yoshikai Y.

J Rheumatol. 2011 Aug;38(8):1569-75. doi: 10.3899/jrheum.101355. Epub 2011 May 1

PMID: 21532055

61

A reduction of recipient regulatory T cells by cyclophosphamide contributes to an anti-tumor effect of nonmyeloablative allogeneic stem cell transplantation in mice.

Takeuchi A, Eto M, Yamada H, Tatsugami K, Naito S, Yoshikai Y.

Int J Cancer. 2012 Jan 15;130(2):365-76. doi: 10.1002/ijc.26009. Epub 2011 Apr 25.

PMID: 21351096

60

IL-17 production by $\square\square$ T cells is important for the antitumor effect of Mycobacterium bovis bacillus Calmette-Guérin treatment against bladder cancer.

Takeuchi A, Dejima T, *Yamada H, Shibata K, Nakamura R, Eto M, Nakatani T, Naito S, Yoshikai Y.

Eur J Immunol. 2011 Jan;41(1):246-51. doi: 10.1002/eji.201040773. Epub 2010 Dec 9.

PMID: 21182095

59

CD30 Ligand Is a Target for a Novel Biological Therapy against Colitis Associated with Th17 Responses.

Sun X, Yamada H, Shibata K, Muta H, Tani K, Podack ER, Iwakura Y, Yoshikai Y.

J Immunol. 2010 Dec 15;185(12):7671-80. doi: 10.4049/jimmunol.1002229. Epub 2010 Nov 10.

PMID: 21068411

58

Mechanism of Synergistic Antitumor Effect of Sorafenib and Interferon- α on Treatment of Renal Cell Carcinoma.

Takeuchi A, Eto M, Tatsugami K, Yamada H, Oki T, Kiyoshima K, Yoshikai Y, Naito S.

J Urol. 2010 Dec;184(6):2549-56. doi: 10.1016/j.juro.2010.07.033. Epub 2010 Oct 28.

PMID: 21030044

57

Th17 cells and human arthritic diseases

*Yamada H.

Nihon Rinsho Meneki Gakkai Kaishi. 2010;33(4):214-21. doi: 10.2177/jsci.33.214.

PMID: 20818150

56

CD30 ligand/CD30 plays a critical role in Th17 differentiation in mice.

Sun X, Yamada H, Shibata K, Muta H, Tani K, Podack ER, Yoshikai Y.

J Immunol. 2010 Aug 15;185(4):2222-30. doi: 10.4049/jimmunol.1000024. Epub 2010 Jul 16.

PMID: 20639486

55

Antibody-mediated T-cell reduction or increased levels of chimerism overcome resistance to cyclophosphamide-induced tolerance in NKT-deficient mice.

Onzuka T, Tomita Y, Okano S, Shimizu I, Yamada H, Yoshikai Y, Tominaga R.

Scand J Immunol. 2010 Aug;72(2):106-17. doi: 10.1111/j.1365-3083.2010.02417.x.

PMID: 20618769

54

Current perspectives on the role of IL-17 in autoimmune disease

*Yamada H

J Inflamm Res. 2010;3:33-44. doi: 10.2147/jir.s6375. Epub 2010 Jun 18.

PMID: 22096355

53

Interleukin-15 is critical in the pathogenesis of influenza A virus-induced acute lung injury.

Nakamura R, Maeda N, Shibata K, Yamada H, Kase T, Yoshikai Y.

J Virol. 2010 Jun;84(11):5574-82. doi: 10.1128/JVI.02030-09. Epub 2010 Mar 24.

PMID: 20335267

52

The LTB4-BLT1 Axis Mediates Neutrophil Infiltration and Secondary Injury in Experimental Spinal Cord Injury.

Saiwai H, Ohkawa Y, Yamada H, Kumamaru H, Harada A, Okano H, Yokomizo T, Iwamoto Y, Okada S.

Am J Pathol. 2010 May;176(5):2352-66. doi: 10.2353/ajpath.2010.090839. Epub 2010 Mar 19.

PMID: 20304963

51

Selective control of type I IFN induction by the Rac activator DOCK2 during TLR-mediated plasmacytoid dendritic cell activation.

Gotoh K, Tanaka Y, Nishikimi A, Nakamura R, Yamada H, Maeda N, Ishikawa T, Hoshino K,

Urano T, Cao Q, Higashi S, Kawaguchi Y, Enjoji M, Takayanagi R, Kaisho T, Yoshikai Y, Fukui Y.

J Exp Med. 2010 Apr 12;207(4):721-30. doi: 10.1084/jem.20091776. Epub 2010 Mar 15.

PMID: 20231379

50

Dual specificity phosphatase16 is a negative regulator of c-Jun NH2-terminal kinase activity in T cells

Kumabe S, Itsumi M, *Yamada H, Yajima T, Matsuguchi T, Yoshikai Y

Microbiol Immunol. 2010 Feb;54(2):105-11. doi: 10.1111/j.1348-0421.2009.00188.x.

PMID: 20377744

49

Direct recognition of mycobacterial cord factor, trehalose dimycolate, by C-type lectin Mincle

Ishikawa E, Ishikawa T, Morita Y, Toyonaga K, Yamada H, Takeuchi O, Akira S, Kinoshita T, Yoshikai Y, Yamasaki S

J Exp Med. 2009 Dec 21;206(13):2879-88. doi: 10.1084/jem.20091750. Epub 2009 Dec 14.

PMID: 20008526

48

Tyrosine kinase 2 plays critical roles in the pathogenic CD4 T cell responses for the development of experimental autoimmune encephalomyelitis.

Oyamada A, Ikebe H, Itsumi M, Saiwai H, Okada S, Shimoda K, Iwakura Y, Nakayama K, Iwamoto Y, Yoshikai Y, *Yamada H.

J Immunol. 2009 Dec 1;183(11):7539-7546. doi: 10.4049/jimmunol.0902740. Epub 2009 Nov 16.

PMID: 19917699

47

Effects of lipopolysaccharide on the induction of mixed chimerism in cyclophosphamide-induced tolerance.

Onzuka T, Tomita Y, Shimizu I, Okano S, Yamada H, Yoshikai Y, Tominaga R.

Scand J Immunol. 2009 Nov;70(5):423-30. doi: 10.1111/j.1365-3083.2009.02314.x.

PMID: 19874546

46

Oral administration of xanthan gum enhances antitumor activity through Toll-like receptor 4.

Takeuchi A, Kamiryō Y, *Yamada H, Eto M, Shibata K, Haruna K, Naito S, Yoshikai Y.

Int Immunopharmacol. 2009 Dec;9(13-14):1562-7. doi: 10.1016/j.intimp.2009.09.012. Epub 2009 Sep 27

PMID: 19788935

45

Protective role of Fas-FasL signaling in lethal infection with herpes simplex virus type 2 in mice.

Ishikawa T, *Yamada H, Oyamada A, Goshima F, Nishiyama Y, Yoshikai Y.

J Virol. 2009 Nov;83(22):11777-83. doi: 10.1128/JVI.01006-09. Epub 2009 Sep 9.

PMID: 19740996

44

Th17 cells in human rheumatoid arthritis

*Yamada H

Nihon Rinsho Meneki Gakkai Kaishi. 2009 Aug;32(4):249-55. doi: 10.2177/jsci.32.249.

PMID: 19721345

43

IL-15 is critical for the maintenance and innate functions of self-specific CD8(+) T cells.

Itsumi M, Yoshikai Y, *Yamada H.

Eur J Immunol. 2009 Jun 18;39(7):1784-1793. doi: 10.1002/eji.200839106.

PMID: 19544306

42

Donor CD4 T Cells Are Critical in Allogeneic Stem Cell Transplantation against Murine Solid Tumor.

Kamiryō Y, Eto M, Yamada H, Yajima T, Harano M, Takeuchi A, Tatsugami K, Hamaguchi M, Naito S, Yoshikai Y.

Cancer Res. 2009 Jun 15;69(12):5151-8. doi: 10.1158/0008-5472.CAN-08-2517. Epub 2009 Jun 2

PMID: 19491277

41

IL-15 protects antigen-specific CD8⁺ T cell contraction after Mycobacterium bovis bacillus Calmette-Guerin infection.

Tang C, Yamada H, Shibata K, Yoshida SI, Wajjwalku W, Yoshikai Y.

J Leukoc Biol. 2009 Jul;86(1):187-94. doi: 10.1189/jlb.0608363. Epub 2009 Apr 23.

PMID: 19389797

40

Tumor-specific cytotoxic T cell generation and dendritic cell function are differentially regulated by interleukin 27 during development of anti-tumor immunity.

Shinozaki Y, Wang S, Miyazaki Y, Miyazaki K, Yamada H, Yoshikai Y, Hara H, Yoshida H.

Int J Cancer. 2009 Mar 15;124(6):1372-8. doi: 10.1002/ijc.24107.

PMID: 19089917

39

Role of the cytokine profiles produced by invariant natural killer T cells in the initial phase of cyclophosphamide-induced tolerance.

Onzuka T, Tomita Y, Shimizu I, Okano S, Yamada H, Yoshikai Y, Tominaga R.

Transplantation. 2008 Nov 15;86(9):1301-10. doi: 10.1097/TP.0b013e318187265e.

PMID: 19005413

38

A novel role of CD30L/CD30 signaling by T-T cell interaction in Th1 response against mycobacterial infection.

Tang C, Yamada H, Shibata K, Muta H, Wajjwalku W, Podack ER, Yoshikai Y.

J Immunol. 2008 Nov 1;181(9):6316-27. doi: 10.4049/jimmunol.181.9.6316.

PMID: 18941223

37

Identification of CD25⁺ gammadelta T cells as fetal thymus-derived naturally occurring IL-17 producers.

Shibata K, *Yamada H, Nakamura R, Sun X, Itsumi M, Yoshikai Y.

J Immunol. 2008 Nov 1;181(9):5940-7. doi: 10.4049/jimmunol.181.9.5940.

PMID: 18941182

36

The cytokine RANKL produced by positively selected thymocytes fosters medullary thymic epithelial cells that express autoimmune regulator.

Hikosaka Y, Nitta T, Ohigashi I, Yano K, Ishimaru N, Hayashi Y, Matsumoto M, Matsuo K, Penninger JM, Takayanagi H, Yokota Y, Yamada H, Yoshikai Y, Inoue J, Akiyama T, Takahama Y. *Immunity*. 2008 Sep;29(3):438-50. doi: 10.1016/j.immuni.2008.06.018.

PMID: 18799150

35

Tyk2-signaling plays an important role in host defense against *Escherichia coli* through IL-23-induced IL-17 production by gammadelta T cells.

Nakamura R, Shibata K, Yamada H, Shimoda K, Nakayama K, Yoshikai Y. *J Immunol*. 2008 Aug 1;181(3):2071-5. doi: 10.4049/jimmunol.181.3.2071.

PMID: 18641345

34

Comparative histopathological analysis between tenosynovitis and joint synovitis in rheumatoid arthritis.

Kaibara N, *Yamada H, Shuto T, Nakashima Y, Okazaki K, Miyahara H, Esaki Y, Hirata G, Iwamoto Y. *Histopathology*. 2008 Jun;52(7):856-64. doi: 10.1111/j.1365-2559.2008.03050.x. Epub 2008 May 6.

PMID: 18462359

33

Efficacy of recombinant bacille Calmette-Guérin vaccine secreting interleukin-15/antigen 85B fusion protein in providing protection against *Mycobacterium tuberculosis*.

Tang C, Yamada H, Shibata K, Maeda N, Yoshida S, Wajjwalku W, Ohara N, Yamada T, Kinoshita T, Yoshikai Y.

J Infect Dis. 2008 May 1;197(9):1263-74. doi: 10.1086/586902.

PMID: 18422438

32

A critical role of CD30 ligand/CD30 in controlling inflammatory bowel diseases in mice.

Sun X, Somada S, Shibata K, Muta H, Yamada H, Yoshihara H, Honda K, Nakamura K, Takayanagi R, Tani K, Podack ER, Yoshikai Y.

Gastroenterology. 2008 Feb;134(2):447-58. doi: 10.1053/j.gastro.2007.11.004. Epub 2007 Nov 4.
PMID: 18242212

31

Th1 but not Th17 cells predominate in the joints of patients with rheumatoid arthritis.

*Yamada H, Nakashima Y, Okazaki K, Mawatari T, Fukushi JI, Kaibara N, Hori A, Iwamoto Y, Yoshikai Y.

Ann Rheum Dis. 2008 Sep;67(9):1299-304. doi: 10.1136/ard.2007.080341. Epub 2007 Dec 6.
PMID: 18063670

30

A regulatory role of interleukin 15 in wound healing and mucosal infection in mice.

Kagimoto Y, Yamada H, Ishikawa T, Maeda N, Goshima F, Nishiyama Y, Furue M, Yoshikai Y.

J Leukoc Biol. 2008 Jan;83(1):165-72. doi: 10.1189/jlb.0307137. Epub 2007 Sep 28.
PMID: 17906118

29

IL-15 exacerbates collagen-induced arthritis with an enhanced CD4⁺ T cell response to produce IL-17.

Yoshihara K, *Yamada H, Hori A, Yajima T, Kubo C, Yoshikai Y.

Eur J Immunol. 2007 Oct;37(10):2744-52. doi: 10.1002/eji.200737229.
PMID: 17823984

28

Interleukin-15 selectively expands CD57⁺ CD28⁻ CD4⁺ T cells, which are increased in active rheumatoid arthritis.

*Yamada H, Kaibara N, Okano S, Maeda T, Shuto T, Nakashima Y, Okazaki K, Iwamoto Y.

Clin Immunol. 2007 Sep;124(3):328-35. doi: 10.1016/j.clim.2007.06.001. Epub 2007 Jul 23.
PMID: 17644042

27

In vivo treatment with a nonapeptide thymic hormone, facteur thymique serique (FTS), ameliorates chronic colitis induced by dextran sulphate sodium in mice.

Sun X, Yamada H, Yoshihara K, Awaya A, Yoshikai Y.

Int Immunopharmacol. 2007 Jul;7(7):928-36. doi: 10.1016/j.intimp.2007.02.014. Epub 2007 Mar 28.

PMID: 17499195

26

Tyk2 signaling in host environment plays an important role in contraction of antigen-specific CD8+ T cells following a microbial infection.

Li W, Yamada H, Yajima T, Nakagawa R, Shimoda K, Nakayama K, Yoshikai Y.

J Immunol. 2007 Apr 1;178(7):4482-8. doi: 10.4049/jimmunol.178.7.4482.

PMID: 17372006

25

Resident Vdelta1+ gammadelta T cells control early infiltration of neutrophils after Escherichia coli infection via IL-17 production.

Shibata K, *Yamada H, Hara H, Kishihara K, Yoshikai Y.

J Immunol. 2007 Apr 1;178(7):4466-72. doi: 10.4049/jimmunol.178.7.4466.

PMID: 17372004

24

Lipopolysaccharide inhalation exacerbates allergic airway inflammation by activating mast cells and promoting Th2 responses.

Murakami D, *Yamada H, Yajima T, Masuda A, Komune S, Yoshikai Y.

Clin Exp Allergy. 2007 Mar;37(3):339-47. doi: 10.1111/j.1365-2222.2006.02633.x.

PMID: 17359384

23

H2-M3-restricted CD8+ T cells induced by peptide-pulsed dendritic cells confer protection against Mycobacterium tuberculosis.

Doi T, *Yamada H, Yajima T, Wajjwalku W, Hara T, Yoshikai Y.

J Immunol. 2007 Mar 15;178(6):3806-13. doi: 10.4049/jimmunol.178.6.3806.

PMID: 17339479

22

Enforced expression of Bcl-2 partially restores cell numbers but not functions of TCRgammadelta intestinal intraepithelial T lymphocytes in IL-15-deficient mice.

Nakazato K, Yamada H, Yajima T, Kagimoto Y, Kuwano H, Yoshikai Y.

J Immunol. 2007 Jan 15;178(2):757-64. doi: 10.4049/jimmunol.178.2.757.

PMID: 17202336

21

IL-15 prevents allergic rhinitis through reactivation of antigen-specific CD8+ cells.

Aoi N, Masuda T, Murakami D, Yajima T, Mizubuchi H, Yamada H, Kawauchi H, Yoshikai Y.

J Allergy Clin Immunol. 2006 Jun;117(6):1359-66. doi: 10.1016/j.jaci.2006.02.018. Epub 2006 Apr 3.

PMID: 16750998

20

Impaired protection against Mycobacterium bovis bacillus Calmette-Guerin infection in IL-15-deficient mice.

Saito K, Yajima T, Kumabe S, Doi T, Yamada H, Sad S, Shen H, Yoshikai Y.

J Immunol. 2006 Feb 15;176(4):2496-504. doi: 10.4049/jimmunol.176.4.2496.

PMID: 16456010

19

Pristane, a non-antigenic adjuvant, induces MHC class II-restricted, arthritogenic T cells in the rat.

Holmberg J, Tuncel J, Yamada H, Lu S, Olofsson P, Holmdahl R.

J Immunol. 2006 Jan 15;176(2):1172-9. doi: 10.4049/jimmunol.176.2.1172.

PMID: 16394006

18

The major T cell epitope on type II collagen is glycosylated in normal cartilage but modified by arthritis in both rats and humans.

Dzhambazov B, Holmdahl M, Yamada H, Lu S, Vestberg M, Holm B, Johnell O, Kihlberg J, Holmdahl R.

Eur J Immunol. 2005 Feb;35(2):357-66. doi: 10.1002/eji.200425637.

PMID: 15682451

17

The critical role of Fas-Fas ligand interaction in donor-specific transfusion-induced tolerance to H-Y antigen.

Minagawa R, Okano S, Tomita Y, Kishihara K, Yamada H, Nomoto K, Shimada M, Maehara Y, Sugimachi K, Yoshikai Y, Nomoto K.

Transplantation. 2004 Sep 27;78(6):799-806. doi: 10.1097/01.tp.0000129799.96439.6f.

PMID: 15385797

16

A transient post-translationally modified form of cartilage type II collagen is ignored by self-reactive T cells.

*Yamada H, Dzhambazov B, Bockermann R, Blom T, Holmdahl R.

J Immunol. 2004 Oct 1;173(7):4729-35. doi: 10.4049/jimmunol.173.7.4729.

PMID: 15383610

15

The molecular pathogenesis of collagen-induced arthritis in mice--a model for rheumatoid arthritis.

Holmdahl R, Bockermann R, Bäcklund J, Yamada H.

Ageing Res Rev. 2002 Feb;1(1):135-47. doi: 10.1016/s0047-6374(01)00371-2.

PMID: 12039453

14

Mechanism of murine Vgamma1+ gamma delta T cell-mediated innate immune response against *Listeria monocytogenes* infection.

Matsuzaki G, Yamada H, Kishihara K, Yoshikai Y, Nomoto K.

Eur J Immunol. 2002 Apr;32(4):928-35. doi: 10.1002/1521-4141(200204)32:4<928::AID-IMMU928>3.0.CO;2-I.

PMID: 11920558

13

Involvement of CD4+,CD57+ T cells in the disease activity of rheumatoid arthritis.

Maeda T, Yamada H, Nagamine R, Shuto T, Nakashima Y, Hirata G, Iwamoto Y.

Arthritis Rheum. 2002 Feb;46(2):379-84. doi: 10.1002/art.10133.

PMID: 11840440

12

Evidence of the extrathymic development of tyrosinase-related protein-2-recognizing CD8+ T cells with low avidity.

Harada M, Yamada H, Tatsugami K, Nomoto K.

Immunology. 2001 Sep;104(1):67-74. doi: 10.1046/j.1365-2567.2001.01278.x.

PMID: 11576222

11

Reevaluation of the origin of CD44(high) "memory phenotype" CD8 T cells: comparison between memory CD8 T cells and thymus-independent CD8 T cells.

*Yamada H, Matsuzaki G, Chen Q, Iwamoto Y, Nomoto K.

Eur J Immunol. 2001 Jun;31(6):1917-26. doi: 10.1002/1521-4141(200106)31:6<1917::aid-immu1917>3.0.co;2-f.

PMID: 11433389

10

Cyclophosphamide-induced tolerance in rat orthotopic liver transplantation.

Okano S, Eto M, Tomita Y, Yoshizumi T, Yamada H, Minagawa R, Nomoto K, Sugimachi K, Nomoto K.

Transplantation. 2001 Feb 15;71(3):447-56. doi: 10.1097/00007890-200102150-00019.

PMID: 11233909

9

Persistent infection with *Listeria monocytogenes* in the kidney induces anti-inflammatory invariant fetal-type gammadelta T cells.

Ikebe H, *Yamada H, Nomoto M, Takimoto H, Nakamura T, Sonoda KH, Nomoto K.

Immunology. 2001 Jan;102(1):94-102. doi: 10.1046/j.1365-2567.2001.01149.x.

PMID: 11168642

8

Successful priming and tolerization of T cells to orally administered antigens in B-cell-deficient mice.

Hashimoto A, *Yamada H, Matsuzaki G, Nomoto K.

Cell Immunol. 2001 Jan 10;207(1):36-40. doi: 10.1006/cimm.2000.1738.

PMID: 11161451

7

Unusual cytotoxic activities of thymus-independent, self-antigen-specific CD8(+) T cells.

*Yamada H, Matsuzaki G, Iwamoto Y, Nomoto K.

Int Immunol. 2000 Dec;12(12):1677-83. doi: 10.1093/intimm/12.12.1677.

PMID: 11099307

6

TCR-independent activation of extrathymically developed, self antigen-specific T cells by IL-2/IL-15.

*Yamada H, Nakamura T, Matsuzaki G, Iwamoto Y, Nomoto K.

J Immunol. 2000 Feb 15;164(4):1746-52. doi: 10.4049/jimmunol.164.4.1746.

PMID: 10657620

5

Positive selection of extrathymically developed T cells by self-antigens.

*Yamada H, Ninomiya T, Hashimoto A, Tamada K, Takimoto H, Nomoto K.

J Exp Med. 1998 Aug 17;188(4):779-84. doi: 10.1084/jem.188.4.779.

PMID: 9705960

4

Macrophages activated by *Listeria monocytogenes* induce organ-specific autoimmunity.

Sonoda KH, Matsuzaki G, Nomura A, Yamada H, Hamano S, Nakamura T, Mukasa A, Nomoto K.

Immunology. 1997 Oct;92(2):274-83. doi: 10.1046/j.1365-2567.1997.00342.x.

PMID: 9415037

3

p56lck is not essential for the T-cell response to allo-MHC antigens.

*Yamada H, Kong YY, Kishihara K, Mak TW, Nomoto K.

Immunology. 1997 Sep;92(1):33-8. doi: 10.1046/j.1365-2567.1997.d01-2297.x.

PMID: 9370921

2

The characterization of testicular cell (TC)-specific T-cell clones induced by intratesticular *Listeria monocytogenes* infection: TC-specific T cells with atypical cytokine profile transfer orchitis.

Matsuzaki G, Sonoda KH, Mukasa A, Yamada H, Nakamura T, Ikebe H, Hamano S, Nomoto K.

Immunology. 1997 Aug;91(4):520-8. doi: 10.1046/j.1365-2567.1997.00306.x.

PMID: 9378489

1

Enhanced generation of NK cells with intact cytotoxic function in CD45 exon 6-deficient mice.

Yamada H, Kishihara K, Kong YY, Nomoto K.

J Immunol. 1996 Aug 15;157(4):1523-8.

PMID: 8759734